

## PART I INDEX

- Abrasion, by suspensions, 133  
Adsorber system, design of, 316  
Adsorbers, adsorptive capacity of, 314  
Advanced Engineering Test Reactor (AETR), discussion, 486  
    key design specifications, 487  
Aqueous fuel systems, principal advantages of, 14  
Armour Research Foundation Research Reactor, 348  
    schematic, 347  
Atomics International Reactors, 347  
Austenitic stainless steels, corrosion of, out of pile by uranyl carbonate, 213  
    homogeneous reactor metallurgy of, 262  
    slurry corrosion rates, discussion, 249  
Autoclaves, in pile, sketch of, 204  
    irradiation corrosion tests on Zircaloy-2, discussion of, 237  
Autoignition (pyrophoricity), of titanium, 276  
    of zirconium, 276  
Barium sulfate, temperature dependence of solubility, 305  
Bingham plastics, fluid flow of, mathematical relationship for circular pipes, 168  
    heat transfer for laminar flow through tubes, discussion of, 173  
    sediment movement in, discussion and mathematical treatment, 170  
    slurries, friction factor vs Reynolds number for smooth pipes, 169  
Biological hazards, homogeneous reactors, discussion, 302  
Biological shield, HRE-2, 396  
Blanket processing, plutonium producer, discussion of, 326  
    removal of Np, chemistry of Np in uranyl sulfate solutions, 327  
    removal of Pu, alternative methods, 330  
    behavior in uranyl sulfate solutions under dynamic conditions, 329  
    chemistry of plutonium in uranyl sulfate solutions, 326  
    solubility of tetravalent Pu in uranyl sulfate solution at 250°C, 327  
Blanket-vessel design, discussion for two-region reactors, 409  
Blast shield, HRE-2, for containment of missiles, 395  
Boiler feed water, treatment of, 472  
Boiling Reactor Experiment (BRE), conceptual design studies for, 8  
    definition of, 13  
    discussion of, 21  
    homogeneous, discussion of, 22  
    general discussion of, 22  
    slurry, 23  
Breeder reactors, definition of, 13  
Breeding, importance of, 19  
Breeding ratio (BR), as function of pressure vessel size, etc., 53  
    and fuel concentrations (unsteady-state), calculations relative to HRE-3 conceptual design, 59  
    comparison of values for one- and two-region reactors, 46  
    definition of for criticality calculations, spherical reactors, 31  
    dependence of on value of  $\eta$   $U^{233}$  spherical reactors, 37  
    effect of blanket  $U^{233}$  concentration on, for spherical homogeneous reactors, 47  
    effect of copper addition on, 55  
    effect of core poison fraction on, 54  
    effect of  $H_2O$  concentration on, 55  
    for cylindrical reactors of various heights, 51  
    homogeneous spherical reactors, 35  
    spherical homogeneous reactors, two-region, effect of core

- thorium concentration and wall power density on, 45
- results of calculations for, 45
- Bubble problem, homogeneous reactors, 7
- Burner reactors, definition of, 13
- homogeneous, discussion of, 17
- Capital costs, as a function of power level, 550
- bases for calculations, 521
- breakdown for large scale reactors, 546
- HRE-1, 357
- HRE-2, 398
- large-scale aqueous plutonium-power producers, 494
- large-scale plants, 545
- Nuclear Power Group Two-Region Breeder, 499
- one-region power producers, 495
- turbogenerator plants, 548
- Wolverine Reactor, 476
- Carbon adsorption beds, HRE-2, 366
- Carbon beds, HRE-1, 353
- Carbon steel, homogeneous reactor metallurgy of, 262
- physical metallurgical properties, effect of neutron irradiation, 279
- effect of neutron irradiation on yield and tensile strengths, 280
- selection for service under irradiation, 282
- slurry corrosion rates of, discussion, 249
- slurry corrosion resistance of, effect of hydrogen atmosphere, 259
- see also* Pressure vessel steels
- Catalytic recombination of radiolytic gases, effect of variables (firing time, etc.) on, in thorium oxide slurries, 186
- thorium oxide, molybdenum oxide experiments, 186
- Centrifugal pump—HRE-2 mock-up, 380
- Charcoal adsorbers, purpose in homogeneous reactors, 440
- Chemical conversion, costs for, 518
- Chemical processing, blanket material of two-region breeder, conceptual flow diagram, 302
- blanket removal of Np, solubility of Np in uranyl sulfate solutions, 327
- blanket removal of Pu, alternative methods, 330
- behavior in uranyl sulfate solutions under dynamic conditions, 329
- chemistry of Pu in uranyl sulfate solutions, 326
- solubility of tetravalent Pu in uranyl sulfate solution at 250°C, 327
- costs for, 517
- disposal of gaseous fission products, 312
- adsorption of Kr on several adsorbents, 313
- capacity of several adsorbents, 314
- design of adsorber system, 316
- discussion of HRE-2 adsorber system, 316
- homogeneous fuels, discussion of neutron poisons, 301
- plutonium-producer, conceptual flow diagram, 303
- removal of iodine, discussion of chemistry of iodine, 319
- discussion in terms of HRE-2, 324
- oxidation state at high temperature and pressure, 322
- oxidation state at low temperature, 323
- proposed system for HRE-3, 325
- vapor-liquid distribution, 320
- volatility under reactor conditions, 320
- removal of solids, 304
- removal of solubles, by solvent extraction, 368
- by uranyl peroxide precipitation, 318
- by uranyl peroxide precipitation, schematic flow diagram, 319
- discussion, 317
- thorium oxide blanket, adaptability of the flowsheet, 335
- alternative processes for, 335

- average decontamination factors
  - of the Thorex pilot plant, 334
- discussion, 332
- feed preparation flowsheet, 331
- solvent extraction
  - codecontamination flowsheet, 331
  - solvent extraction step, 333
  - uranium isolation and third cycle flowsheet, 332
- two-region breeder, conceptual flow diagram, 302
- Chloride ion, effect of concentration
  - on stress-corrosion cracking of type-347 stainless steel, 284
  - effect on stress-corrosion in fuel solutions, 284
  - effect on stress-corrosion in fuel solutions, discussion of 100-gpm dynamic loop experiments, 287
- Circulating pumps, discussion, 413
  - HRE-1, discussion, 350
  - HRE-2 blanket, discussion, 413
  - hydraulic parts for wear resistance, 416
  - large scale, 498
    - discussion in terms of remote maintenance, 468
  - PAR reactor, maintenance of, 490
  - Westinghouse 400A for HRE-2 fuel, 415
    - for slurries, discussion of wear, 416
- Cold traps, purpose in homogeneous reactors, 439
- Condenser, purpose in aqueous low-pressure systems, 439
- Containment, cost of, in HRE-2, 398
  - discussion of the containment vessel, 471
  - methods, HRE-2, 391
    - Wolverine Reactor Design, 478
    - NPG and B & W Breeder, 501
    - NPG breeder reactor, 499
- Control panel, HRE-2, 384
- Converter reactors, definition of, 13
- Core- and blanket-vessel design, conceptual, 409
- Core and pressure vessel, HRE-2, discussion, 412
  - illustrated, 412
- Core pressure rise, homogeneous reactors, safety of, calculation for, 74
- Core processing, disposal of gaseous fission products, 312
  - adsorption of Kr on several adsorbents, 313
  - removal of iodine, discussion, 323
    - discussion in terms of HRE-2, 324
    - discussion of chemistry of iodine, 319
    - oxidation state at high temperature and pressure, 322
    - oxidation state at low temperature, 323
    - proposed system for HRE-3, 325
    - vapor-liquid distribution of, 320
    - volatility under reactor conditions, 320
  - removal of solids, 304
    - dimensions of three sizes of hydroclones, 311
    - discussion of HRE-2 processing plant, 309
    - drawing of HRE-2 chemical plant hydroclone container, 311
    - factors influencing design of hydroclones, 306
    - schematic diagram of hydroclone, 307
    - solubilities of selected fission- and corrosion products, general discussion, 305
    - solubility of lanthanum sulfate, 304
    - solubility of neodymium sulfate as affected by uranyl sulfate concentration, 305
    - solubility of rare earth sulfates at 280°C, 305
    - temperature dependence of solubility of barium sulfate in core solutions, 305
    - temperature dependence of solubility of strontium sulfate in core solutions, 305
    - use of hydroclones, 306
  - removal of solubles, by solvent extraction, 318
    - discussion, 317

- schematic flow diagram for
  - uranyl peroxide method, 319
  - uranyl peroxide precipitation, 318
- Core-vessel design, discussion for
  - two-region reactors, 409
- HRE-1, dimension and material of construction, 350
- hydrodynamics, discussion for
  - two-region reactors, 402
- Corrosion products, chemistry of, 304
- neutron poisoning by, 302
- Cost calculations, bases for, 516
- Cost studies, capital costs, for a
  - 3-reactor station operating at 1350 thermal mw (315 electrical mw), 546
  - for large-scale plants, 545
  - of a homogeneous reactor power station as a function of station size, 550
  - of two-region aqueous homogeneous reactors, 548
- chemical conversion costs, 518
- chemical processing costs for aqueous homogeneous reactors, 517
- discussion of, 515
- effect of design variables on fuel costs, 521
- for fuel processing cycle, 521
- for investment, operating, and maintenance costs, 521
- fuel, comparison of fuel costs for one- and two-region reactors, 539
  - cost breakdown for batch-operated homogeneous reactors (no hydroclone), 536
  - effect of blanket thickness and thorium concentration, 524
    - for a two-region breeder, 524
  - effect of core diameter and core thorium concentration, 525
  - effect of core thorium concentration and diameter, 524
  - effect of design variables for uranium-plutonium systems, 530
  - effect of fuel-processing rate and charge and poisoning on fuel cost for  $\text{UO}_3\text{-ThO}_2\text{-D}_2\text{O}$  reactors, 544
  - effect of  $\text{Li}_2\text{SO}_4$  on the fuel cost of a plutonium-producer—power reactor, 540
  - effect of nuclear parameters, 527
  - effect of power level, 527
    - on fuel costs for one-region reactors, 543
  - effect of reactor power in one-region reactors, 529
  - effect of thorium concentration in one-region reactors, 528
  - effect of  $\text{U}^{233}$  concentration (blanket) or core poison fraction on fuel cost, 523
  - effect of uranium concentration and reactor diameter, 532
  - effect of xenon poison, 528
  - effect of xenon removal, 527
  - equilibrium fuel concentrations and reactor dimensions for homogeneous reactors operating at 280°C and producing 125 mw electrical power, 551
  - for batch-operated homogeneous  $\text{UO}_2\text{SO}_4\text{-Li}_2\text{SO}_4$  reactors, 534
  - for dual-purpose plutonium-power reactors, 537
  - for one-region  $\text{PuO}_2\text{-UO}_3\text{-D}_2\text{O}$  reactors of 12-ft diameter, 531
  - for one-region  $\text{UO}_2\text{SO}_4\text{-Li}_2\text{SO}_4\text{-D}_2\text{O}$  power reactors, 532
  - for two-region reactor having a 6-ft core and 10-ft diameter, 537
  - for two-region  $\text{UO}_3\text{-PuO}_2\text{-D}_2\text{O}$  reactors, 535
  - for  $\text{U}^{235}$  burner reactors, 539
  - isotope concentrations and fuel cost-breakdown for some  $\text{U}^{235}$  burner reactors, 541
  - one-region  $\text{PuO}_2\text{-UO}_3\text{-D}_2\text{O}$  reactors, 530
  - one-region spherical reactors, 527
  - one-region  $\text{UO}_2\text{SO}_4\text{-D}_2\text{O}$  and  $\text{UO}_2\text{SO}_4\text{-Li}_2\text{SO}_4\text{-D}_2\text{O}$  reactors, 538
  - one-region U-Pu reactor, 530
  - results for several one-region reactors near optimal conditions, 533
  - shape-effect comparison for cylindrical and spherical reactors, 529

- shape-effect of cylindrical reactors, 529
- summary of fuel costs for different reactors, 542
- two-region reactor fuel cycle, 537
- two-region U-Pu reactor fuel costs, 538
- cycle, 537
- influence of reactor variables, discussion, 523
- operating and maintenance, large scale plants, 549
- power, summary of estimated costs, 553
- power costs, for large scale aqueous homogeneous reactors (125 electrical mw, 80% load factor, 280°C), 552
- influence of power level on "present" power costs in U<sup>235</sup> burners, 553
- price of high-purity U<sup>233</sup>, 518
- Purex process, 519
- relation to reactor design factors, 514
- schematic flow sheet for two-region homogeneous thorium breeder reactor, 522
- slurry reactors, core and blanket specifications, 524
- Thorex process, 519
- turbine plant cost and net station efficiency vs steam temperature, 548
- USAEC official price schedules for nuclear materials, 518
- Critical concentration, cylindrical reactors, evaluation for, 49
- Critical mass, homogeneous reactors, effect of thorium slurry settling on, 75
- Critical velocity, definition in terms of corrosion studies, 222
- Criticality calculations, aqueous-homogeneous reactors, factors in, 29
- spherical, nuclear constants used in, 39
- spherical, nuclear data for, 41
- spherical, resonance integrals, 43
- Cylindrical reactors, breeding ratios for, at various heights, 51
- Cylindrical reactors, fuel costs in, 529
- Decontamination, HRE-1 equipment, discussion of, 358
- HRE-2 equipment, 379
- Diaphragm pumps, check-valve materials, 444
- construction for HRE-2 use, 442
- discussion of developmental work, 443
- durability of, 442
- HRE-1, fuel concentration control, 353
- HRE-2, for return of condensate, 364
- HRE-2 mock-up, for fuel feed, 380
- purpose in homogeneous reactors, 441
- sketch, 441
- slurry, discussion of methods under test, 444
- Diffusion equations, two-group, for criticality calculations, spherical reactors, 32
- Dump tank—HRE-2 mock-up, 380
- Dynamic corrosion test loop, determining corrosion rates by, diagram, 201, 203
- discussion, 201
- discussion of equipment, 203
- Eddy corrosion, a feature of slurry corrosion, discussion, 251
- photo of effect on stainless steel impeller, 252
- Electrical wiring and accessories, HRE-2, discussion, 460
- Elgiloy, corrosion rate in uranyl sulfate solution at high temperature, 217
- Entrainment separator, discussion of HRE-2 design, 436
- Eta-U<sup>233</sup>, value for in resonance region, homogeneous spherical reactors, 34
- Evaporator, purpose in HRE-2, 435
- "Fast fission factor," definition of for criticality calculations, spherical reactors, 31
- Feed pumps: *see* Diaphragm pumps

- Ferritic and martensitic stainless steels, slurry corrosion rates of, discussion, 249
- Ferritic stainless steels, corrosion of, out of pile, by uranyl carbonate, 213
- Fission and corrosion products, general discussion of solubilities, 305
- Fission product iodine, chemistry in fuel solutions, 319
  - oxidation state at high temperature and pressure, 322
  - oxidation state at low temperature, 323
  - proposed removal system for HRE-3, 325
  - removal from aqueous homogeneous reactors, 323
  - removal from HRE-2, 324
  - vapor-liquid distribution of, 320
  - vitro iodine test loop, 321
  - volatility under reactor conditions, 320
- Fission products, chemistry of, 304
  - gaseous, adsorptive capacity of several adsorbents, 314
    - design of adsorber system, 316
    - disposal of, 312
      - adsorption of Kr on several adsorbents, 313
- Fissionable isotopes, production of in terms of neutron economy, 29
- Fissionable material, annual requirement of, 20
- Flame recombiner, HRE-1, 352
- Flange closures, discussion, 429
- Flange joints, bi-metallic, discussion, 431
  - Vickers-Anderson, discussion, 431
- Flow delay tanks, purpose of, 472
- Fluidized-bed reactors, discussion of, 24
- Fluidized suspension reactors, definition of, 13
  - discussion of, 24
- Freeze plugs, purpose and discussion in terms of homogeneous reactors, 451
- Fuel concentrations and breeding ratios for two-region
  - homogeneous reactors, estimation of minimum fuel costs, 44
  - evaluation under initial conditions, 44
  - initial and steady-state conditions, 43
- Fuel costs, bases for calculations, 516
  - comparison of in various reactors, 542
  - cylindrical reactors, discussion, 529
  - effect of power level, 527
  - effect of xenon removal, 527
  - homogeneous reactors, 526
  - in  $\text{ThO}_2\text{-UO}_3\text{-D}_2\text{O}$  systems, 521
  - one-region power reactors with  $\text{Li}_2\text{SO}_4$  added, 532
  - one-region spherical reactors, 528
    - discussion, 527
    - effect of xenon removal, 528
  - two-region breeders, effect of blanket thickness, 524
    - effect of core diameter, 525
    - spherical systems, 523
  - $\text{U}^{235}$  burner reactors, 539
- Fuel inventory, HRE-2, system for, 386
- Fuel processing, costs for, 519
  - discussion of chemistry of Pu in uranyl sulfate solutions, 326
  - disposal of gaseous fission products, 312
    - adsorption of Kr on several adsorbents, 313
    - adsorptive capacity of several adsorbents, 314
    - design of adsorber system, 316
    - discussion of HRE-2 adsorber system, 316
  - flowsheet for, 522
  - removal of iodine, discussion, 323
    - discussion of chemistry of iodine, 319
    - discussion in terms of HRE-2, 42
    - oxidation state at high temperature and pressure, 322
    - oxidation state at low temperature, 323
    - proposed system for HRE-3, 325
    - vapor-liquid distribution of, 320
    - volatility under reactor conditions, 320

- removal of Np, solubility of Np in uranyl sulfate solutions, 327
- removal of Pu, alternative methods, 330
  - behavior in uranyl sulfate solutions under dynamic conditions, 329
  - solubility of tetravalent Pu in uranyl sulfate solution at 250°C, 327
- removal of solubles, discussion, 317
  - schematic flow diagram for uranyl peroxide method, 319
  - solvent extraction, 318
  - uranyl peroxide precipitation, 318
- two-region breeder, conceptual flow diagram, 302
- Fuel systems, aqueous, for enriched-fuel burner reactors, 17
  - high temperature, solution-type reactors, 17
- Gamma heating, discussion, 411
- Gamma ionization chamber, 460
- Gamma radiation measurement, 459
- Gas adsorber, disposal of gaseous fission products, adsorptive capacity of several adsorbents, 314
  - design of adsorber system, 316
  - discussion of HRE-2 gas adsorber system, 316
  - evaluation of adsorbents, 314
- Gas handling, carbon adsorption beds for HRE-2 fission gases, 366
  - catalytic recombiner for HRE-2, 364
  - oxygen injection to prevent hydrolytic precipitation of uranium, 362
  - recombination of radiolytic gases in HRE-2, 362
- Gas separators, discussion of HRE-2 type, 432
- Gases, reaction limits and pressures, discussion, 120
  - solubility in water and reactor solutions, 120
  - steam-oxygen and steam-helium, P-V-T relationships, 120
- Gold, corrosion rates in uranyl fluoride solution, 215
- Heat exchanger, design data for HRE-2, 420
- Heat transfer, of thorium oxide slurries, 174
- Heavy water, costs of, 517
  - densities of liquid and vapor at elevated temperatures, 112
  - density of, discussion, 113
  - viscosity at elevated temperatures, 114
- Homogeneous catalysts, thermal recombination of H<sub>2</sub> and O<sub>2</sub> in aqueous uranium solutions, discussion, 107
- Homogeneous reactor development, levels of effort expended on, 9
- Homogeneous reactors, biological hazards, 302
  - characteristics of large scale, 526
  - large scale, fuel costs in, 526
- HRE-1 (Homogeneous Reactor Experiment No. 1), 341
  - beginning of construction of, 8
  - capital cost, 357
  - circulating pump, discussion of, 350
  - core vessel, design features, 350
  - critique, 358
  - dependence of critical concentration on temperature, 354
  - design, 350
  - discussion, 348
  - dismantling of, discussion, 358
  - equipment decontamination, discussion, 358
  - fuel concentration control, diaphragm pump for, 353
  - fuel system, 348
  - internal gas-recombination experiments, description, 355
  - leak detection device, discussion, 357
  - leak prevention, discussion, 356
  - maintenance, discussion, 357
  - nuclear safety, discussion, 355
  - off-gas system, activated carbon beds, 353
    - discussion of, 352
    - flame-recombiner, 352
  - power density, 350
  - power response during reactivity increase, 357
  - pressure vessel, discussion of, 350

- reflector system, 350
- schematic flow diagram of, 351
- shielding, 350
  - discussion, 357
- summary of results of operation, 359
- HRE-2 (Homogeneous Reactor Experiment No. 2), 341
  - biological shield, 396
  - blast shield, 395
  - capital cost (tabulation), 398
  - carbon adsorption beds for fission gases, 366
  - catalytic recombiner, 364
  - chemical plant, tests of solids removal in, 312
  - chemical processing plant, diagram of hydroclone container, 311
    - dimensions of hydroclones, 308
    - discussion of experimental hydroclone work, 309
    - disposal of gaseous fission products, discussion, 316
    - flow diagram for, 307
    - photo, 310
  - components for, charcoal adsorbers, 440
    - circulating pumps, 413
    - cold traps, 440
    - condenser, 439
    - construction of diaphragm pump, 442
    - core and pressure vessel, 412
      - illustrated, 412
    - diaphragm pump check-valve materials, 444
    - diaphragm pumps for feed, 441
    - differential-pressure cells, 458
    - discussion of instrumentation and controls, 454
    - durability of diaphragm pumps, 442
    - effect of thermal cycling with diphenyl on steam generators, 420
    - electrical wiring and accessories, 460
    - entrainment separator, 436
      - drawing, 436
    - evaporator, 435
    - float transmitter for pressurizer level, 456
    - flow transmitters, 459
    - freeze plugs, 451
    - gas-metering valve to regulate O<sub>2</sub> flow to high-pressure system, 448
    - gas recombiner and condenser sketch, 437
    - gas recombiners, 436
    - gas separator, 432
    - heat-exchanger design data, 420
    - importance of valves, 445
    - letdown heat exchanger, 450
    - nuclear instrumentation, 459
    - oxygen injection equipment, 452
    - pressurizers, 423
      - reason for construction, 8
    - refrigeration system, 452
    - sampling equipment, 448
    - sketch of flame recombiner for off-gas after shutdown, 438
    - sketch of gas-metering valve, 448
    - sketch of letdown and low-pressure valves, 446
    - sketch of liquid level transmitter for pressurizer, 455
    - sketch of sampling equipment, 449
    - slurry steam generator, 423
    - spare steam generator, 422
    - steam generators, 419
    - steam pressurizer for the core, 425
    - storage tank (fuel), 434
      - sketch, 434
    - storage tank (slurry), 435
    - valve actuators, 445
    - valve designs, 445
    - weigh systems for inventory purposes, 456
    - Westinghouse 400A pump for fuel, 415
    - Zircaloy-stainless steel joint, 413
  - conditions necessary for hydrogen-oxygen explosions, 394
  - containment methods, 391
  - control panel, 384
  - control room and instrument panel, photo, 385
  - core tank, fabrication of, inverse pole figures of Zircaloy-2 before and after refabrication, 265
    - discussion of welding method, 273



- joint configuration of Zircaloy-2 trailer and titanium air weldments, 272
- welding set-up, 272
- metallurgy of, discussion of Zircaloy-2 physical metallurgy and fabrication, 263
- microstructures of Zircaloy-2 plates fabricated by different schedules, 264
- core vessel, fabrication of, non-destructive testing, 278
- corrosion minimization, 394
- critical concentration, 376
- critical concentration as a function of temperature, 377
- decontamination of equipment, 379
- design specifications, 360, 361
- diaphragm pump for return of condensate, 364
- flowsheet, 363
- fuel inventory systems, 386
- heating and cooling rates in terms of stresses, 393
- instrument and control system, 381
- key control loops using pneumatic and electric transmission, 382
- leak detection system, 371
- leak tests, 374
- maintenance concepts, 388
- maximum pressure during nuclear accident, 394
- oxygen injection to prevent hydrolytic precipitation of uranium, 362
- radiation dosage through shield, 366
- nonnuclear testing and operation, 371
- nuclear-instrument thimble, 383
- nuclear instrumentation, 383
- nuclear operation, 375
- objectives of the reactor, 359
- operation of pressure-vessel mockup system, 177
- operational techniques and special procedures, 376
- photo of container at 50% completion, 368
- piping joints for remote maintenance, 388
- radiation dosages in remote maintenance work, 388
- recombination of radiolytic gases, 362
- remote maintenance, 387
- remotely operable tools, 389
- safety, in terms of hydrogen-oxygen explosions, 395
  - in terms of missiles, 395
- samplers for fuel and blanket liquids, 366
- schedule of construction, 369
- shield, discussion, 366
  - and vapor-container, sketch, 367
- slurry blanket, flowsheet, 177
  - operating experience with, 176
- specifications and description, 359
- stress cracking, 373
- summary of design and construction experience, 396
- summary of nonnuclear operation, 372
- HRE-2 mock-up, diaphragm feed-pumps used in, 380
  - discussion, 380
  - dump tank used in, 380
  - letdown heat exchanger used in, 380
  - letdown valve used in, 380
  - liquid-level controller used in, 380
  - one-eighth-scale steam generator used in, 380
  - oxygen-feed system used in, 380
  - pulsafeeder (diaphragm pump) used in, 380
  - summary of experience, 381
  - Westinghouse canned-rotor centrifugal pump used in, 380
- HRE-3, aqueous thorium breeder reactor, 9
  - breeding ratio and certain isotope concentrations vs time, graphs of, 64
  - comparison of breeding ratios and  $U^{233}$  core concentrations for various cores and core concentrations, graphs of, 66
  - conceptual design calculations for unsteady-state fuel concentrations and breeding ratios, 59
  - design criteria, 510

- discussion, 509
- iodine removal system, 325
- two-region reactor, intermediate scale, design characteristics of at equilibrium conditions, 52
- HRR (Homogeneous Research Reactor), feasibility study, 479
  - key design specifications, 481
  - layout plan view, 483
  - layout sectional elevation, 484
  - maintenance concept, 484
  - maintenance equipment, 485
  - plan view, 485
  - steam-generator specifications, 480
- Hydroclone, container for in HRE-2
  - chemical plant, 311
  - dimensions of three sizes, HRE-2 chemical plant, 311
  - factors influencing design, 306
  - schematic diagram of, 307
  - use in core processing, 306
- Hydrogen and oxygen explosions, conditions for in HRE-2, 394
- Hydrogen peroxide decomposition, aqueous reactors, mechanisms for, 108
- HYPO (High Power Water Boiler), 5, 341
  - description of, 341
- In-pile autoclaves, for irradiation of thorium oxide slurries, 180
- In-pile loops, approximate operating conditions for, 235
  - determining corrosion rates by, exterior view of dismantling facility, 208
    - assembly drawing, 207
    - discussion, 205
    - interior view of dismantling facility, 210
    - physical data, 206
  - methods and procedures employed, 234
- Instrument and control system, HRE-2, 381
- Instrument thimble, HRE-2, 383
- Instrumentation, nuclear, HRE-2, 383
- Instrumentation and controls, differential pressure (D/P) cells as level transmitters, 456
  - differential pressure cells for HRE-2 use, 458
  - differential-transformer type of float transmitter, 456
  - float-type liquid-level transmitters, 456
  - flow transmitters for HRE-2, 459
  - fluid damping transmitters (Dynatrol), discussion, 458
  - heated thermocouple wells for liquid-level alarm or control, 457
  - liquid-level transmitters discussion, 455
  - nuclear instrumentation in the HRE-2, 459
  - pneumatic signal transmitter, discussion, 454
  - pressure transmitters, 458
  - pressure transmitter in safety housing, sketch, 457
  - weigh systems for tank inventories in HRE-2, 456
- Instrumentation and controls systems, discussion in terms of homogeneous reactors, 454
  - electric signal transmitter, discussion, 454
- Intermediate-Scale Homogeneous Reactor (ISHR), conceptual design studies for, 8
  - discussion and description, 504
- Iodine, chemistry in reactor fuel solutions, discussion, 319
  - oxidation state at high temperature and pressure, 322
  - oxidation state at low temperature, 323
  - proposed removal system for HRE-3, 325
  - removal bed, efficiency of in HRE-2, 324
  - removal from aqueous homogeneous reactors, 323
  - removal from high pressure system, 322
  - removal from HRE-2, 324
  - vapor-liquid distribution of, 320
  - vitro iodine test loop, schematic, 327
  - volatility under reactor conditions, 320
- Isotopes, core concentrations of, for  $U^{233}$  fuel, table of, 63